Serial No. **57**7477

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

| Date of filing in State Engineer's Office | IUN 1 1 1992 |
|---|---|
| | ······································ |
| Corrected application filed | Map filed |
| The applicant <u>Airport Authori</u> | ty of Washoe County |
| 2000 E. Plumb Lane Street and No. or P.O. Box No. | ofReno |
| | hereby make application for permission to change the |
| Manner of Use | diversion, manner of use, and/or place of use |
| -c | mit 28821/Certificate 10824 Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and |
| identify right in Decree. | |
| 1. The source of water is <u>Undergro</u> | Name of stream, lake, underground spring or other source. |
| 2. The amount of water to be changed50 | 0-100 acre-feet Second feet, acre feet. One second foot equals 448.83 gallons per minute. |
| 3. The water to be used for Irriga | ation (Cannon International Airport - ation, power, mining, industrial, etc. If for stock state number and kind of animals. Taxiway E |
| | rigation (Brookside Reno Municipal Golf Cours Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals. |
| 5. The water is to be diverted at the following | g point SE4 NW4 Sec. 20, T.19N., R.20E., at Describe as being within a 40-acre subdivision of public survey and by course and |
| | corner of Sec. 20, T.19N., R.20E., M.D.B.&M. |
| | .35 feet. |
| 6. The existing permitted point of diversion is | s located within |
| 7. Proposed place of use <u>Section 22</u> Descri | of NW4 SW4, NE4 SW4, SW4 SW4, SE4 SW4, 2; Portions of NE4 SE4, SE4 SE4 Section 21; ibe by legal subdivisions. If for irrigation state number of acres to be irrigated. |
| | 27; Portions of NW NE |
| | hin T.19N., R.20E., M.D.B.& M. |
| 8. Existing place of use NW 1/4, NW 1/4, NE 2/2 Describe by legal st | 1 NW 1, SW 1 NW 1, SE 1 NW 2, SW 1 NE 1, SE |
| | $\frac{NW_{4}^{1}}{4}$ SW $\frac{1}{4}$ of Section 20 and the SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SY emoved from irrigation. |
| of <u>Section 21, T.19N., R.201</u> | E., M.D.B.&M., Washoe County, Nevada |
| | to |
| 10. Use was permitted from Apri | il 1 to November 30 of each year. And Day Month and Day |
| 11. Description of proposed works. (Under the | e provisions of NRS 535.010 you may be required to submit plans and |
| specifications of your diversion or storage | works.) drilled well and pump State manner in which water is to be diverted, i.e. diversion structure, |
| ditches, pipes and flumes, or drilled well, etc. | |
| 12. Estimated cost of works unknown | own |
| 13. Estimated time required to construct works | existing |

| Please see attached | sheet. |
|--|--|
| Troube Boo wouding | |
| | |
| | |
| | s/ George W. Ball, Jr |
| | By George W. Ball, Jr., P.E. Cert. 730 Tahoe Street |
| Compared jv/gkl ap/se | |
| Protested | |
| = | |
| APPR | OVAL OF STATE ENGINEER |
| This is to certify that I have examined the | e foregoing application, and do hereby grant the same, subject to the |
| Certificate 10824 is issued so Permit 28821, Certificate 10822 the source will be affected to equipped with a 2-inch opening maintained in the discharge po- measurements must be kept of war | und source as heretofore granted under Permit 28821, ubject to the terms and conditions imposed in said 4 and with the understanding that no other rights on by the change proposed herein. The well shall be g and a totalizing meter must be installed and ipeline near the point of diversion and accurate ater placed to beneficial use. The totalizing meter |
| completion of work is filed. I maintained to prevent waste. This State Engineer pursuant to NRS 5 use of the water herein granted as This temporary permit does egress on public, private or corpo The issuance of this permit holder obtain other permits from a A measuring device must be the diversion from the South Side | s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of |
| completion of work is filed. I maintained to prevent waste. This State Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does egress on public, private or corporate issuance of this permit holder obtain other permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. |
| completion of work is filed. It maintained to prevent waste. This state Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does egress on public, private or corporate issuance of this permit holder obtain other permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) The amount of water to be changed shall be limitated. | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. mited to the amount which can be applied to beneficial use, and not to cubic feet per second , but not to exceed 100 acre— |
| completion of work is filed. It maintained to prevent waste. This state Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does egress on public, private or corporate issuance of this permit holder obtain other permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) The amount of water to be changed shall be limitated. | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. |
| completion of work is filed. I maintained to prevent waste. This state Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does egress on public, private or corporate issuance of this permit holder obtain other permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) The amount of water to be changed shall be limit acced. O.583 feet seasonally. | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. mited to the amount which can be applied to beneficial use, and not to |
| completion of work is filed. I maintained to prevent waste. This state Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does egress on public, private or corporate issuance of this permit holder obtain other permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) The amount of water to be changed shall be limit acced. 0.583 feet seasonally. | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. mited to the amount which can be applied to beneficial use, and not to |
| completion of work is filed. I maintained to prevent waste. This state Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does egress on public, private or corporate issuance of this permit holder obtain other permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) The amount of water to be changed shall be limit acced. 0.583 feet seasonally. | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. mited to the amount which can be applied to beneficial use, and not to |
| completion of work is filed. I maintained to prevent waste. This state Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does egress on public, private or corporate issuance of this permit holder obtain other permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) The amount of water to be changed shall be limit acced | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. mited to the amount which can be applied to beneficial use, and not to |
| completion of work is filed. I maintained to prevent waste. This state Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does egress on public, private or corporate issuance of this permit holder obtain other permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) The amount of water to be changed shall be limit exceed | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. mited to the amount which can be applied to beneficial use, and not to |
| completion of work is filed. I maintained to prevent waste. This state Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does agress on public, private or corporate issuance of this permit holder obtain other permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) the amount of water to be changed shall be limited amount of water to be changed shall be filed before the prosecuted with reasonable diligeration of completion of work shall be filed before a possible application of water to beneficial use shall be marroof of the application of water to be application of water to be a | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. mited to the amount which can be applied to beneficial use, and not to |
| completion of work is filed. I maintained to prevent waste. This state Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does agress on public, private or corporate issuance of this permit holder obtain other permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) the amount of water to be changed shall be limited as a measuring device must be considered. O.583 feet seasonally. Vork must be prosecuted with reasonable diligeration of completion of work shall be filed before application of water to beneficial use shall be managed in support of proof of beneficial use shall be managed in s | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. mited to the amount which can be applied to beneficial use, and not to |
| completion of work is filed. In maintained to prevent waste. This state Engineer pursuant to NRS 5 are of the water herein granted at This temporary permit does agress on public, private or corporate issuance of this permit and the permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) The amount of water to be changed shall be limited as a measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) The amount of water to be changed shall be limited before the seasonally. The issuance of this permits from the South Side (CONTINUED ON PAGE 2) The issuance of water to be changed shall be limited before the seasonally. The issuance of water to beneficial use shall be marked to be application of water to beneficial use shall be marked to be application of water to beneficial use shall be application of proof of beneficial use shall be application of water to be application of water to beneficial use shall be application of water to be application of water to beneficial water to be application of water to be | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. mited to the amount which can be applied to beneficial use, and not to cubic feet per second., but not to exceed 100 acremice and be completed on or before. e |
| completion of work is filed. I maintained to prevent waste. This State Engineer pursuant to NRS 5 use of the water herein granted at This temporary permit does egress on public, private or corporate issuance of this permits from A measuring device must be the diversion from the South Side (CONTINUED ON PAGE 2) The amount of water to be changed shall be limited amount of water to be changed shall be limited by the diversion of work shall be filed before application of water to beneficial use shall be marked to be application of water to beneficial use shall be marked to be application of water to beneficial use shall be marked to be application of water to beneficial use shall be marked to be application of water to beneficial use shall be marked to be application of water to beneficial use shall be marked to be application of water to beneficial use the control of the application of water to beneficial use the control of the application of water to beneficial use the control of the application of water to beneficial use the control of the application of water to beneficial use the control of the application of water to beneficial use the control of the application of water to beneficial use the control of the application of water to beneficial use the control of the control o | f the well is flowing, a valve must be installed and s source is located within an area designated by the 34.030. The State retains the right to regulate the t any and all times. s not extend the permittee the right of ingress and orate lands. mit does not waive the requirements that the permit State, Federal and local agencies. installed and accurate measurements must be taken of Ditch. mited to the amount which can be applied to beneficial use, and not to |

(O)-1108 (Rev. 6-81)

DATE _JUL 2 8 1993

Page 2 57747-T

(PERMIT TERMS CONTINUED)

A monthly report shall be submitted to the State Engineer and the Federal Water Master within 10 days from the end of each month which shall include the amount of water pumped from both the well and the South Side Ditch.

A measuring device must be installed and accurate measurements must be taken of the amount of water placed in the Boynton Slough.

Any water diverted from the South Side Ditch must be replaced by the well water to Boynton Slough at the same time.

The period of use of this permit is limited to April 1 to November 30th of each year.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on July 28, 1993 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

TEMPORARY

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATER OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

APPLICANT:

Airport Authority of Washoe County

REGARDING:

Permit 28821/Certificate

15. Remarks:

Due to the severe drought, dust generation has been increasing at the Reno/Cannon International Airport. Therefore, establishment of dust mitigation vegetation is imperative.

Water, for irrigation of approximately 25 acres of dust mitigation vegetation along Taxiway B, will be diverted from the Southside drain near the Air Guard (Area 7 - See Map C-3, attached); this water will be replaced downstream by water pumped from the Authority Brookside Golf Course well (2882/10824) to a drainage channel which terminates at the Boynton Slough, the same as the Eastside drain. Therefore, no downstream water rights are adversely impacted.

The proposed Place of Use lies within the existing Place of Use.